

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2000

© COPYRIGHT 2000

ALL RIGHTS RESERVED.

LOC  
A1

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B3	ECR - 10 - 001843	09FEB2010	GW	OH
	C1	ECR-10-019610	21SEP2010	SR	OH
	D	ECR-15-007486	06JUN2015	GSK	JB

PN 0-1 As Shown

Contact arrangement  
view from connecting side

NOTES

- CONTACT: 1 TO 5  
OUTER DIMENSIONS OF INSULATION: MAX.  $\varnothing$ 4.9mm
- SUITABLE MODULE FIXING FRAME: SERIES HVS SIZE 3 TO 8  
CUSTOMER DRAWING: 1103250
- SUITABLE INSERTION AND EXTRACTION TOOL:  
SCREW DRIVER 0.3x5 DIN5264
- STANDARDS:  
DIN EN 61984; DIN EN 60664-1
- POLARIZATION RIBS
- MARKING OF POLARIZATION ACCORDING TO MARKING OF  
MODULE FRAME
- PACKAGING:  
10 SETS IN A CARTON, PRE-MOUNTED
- AUTHORIZATION VDE

SECTION A-A

Lateral Print

PN 0-1 As Shown

SCALE 1:1

Contact arrangement  
view from termination side

QTY	DESCRIPTION	MATERIAL	SURFACE	COLOR	NOTE	ITEM
1	FEMALE INSERT HVS-HE.5	PBT-GF10		LIGHT GREY		1
5	SOCKET CONTACT					2
1	COVER HVS-HE.5	PBT-GF15		LIGHT GREY		3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm

MATERIAL

 TOLERANCES UNLESS  
OTHERWISE SPECIFIED:  
 ISO 8075  
 DIN ISO 2768 mH-E  
 DIN 16901-120  
 0 PLC ±  
 1 PLC ±  
 2 PLC ±  
 3 PLC ±  
 4 PLC ±  
 ANGLES ±  
 FINISH

9

10

DWN 31.05.2005  
M.SCHWEIGERCHK 31.05.2005  
T.SCHNURPFELAPVD 31.05.2005  
T.SCHNURPFEL

PRODUCT SPEC

108-74071

APPLICATION SPEC

114-74073

WEIGHT

CUSTOMER DRAWING

NAME

TE Connectivity

FEMALE INSERT ASSY  
HVS-HE.5.BU.SC

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-1103134

SCALE 2:1

SHEET 1 OF 1

REV D

1470-19 (3/11)